New Zealand Department of Agriculture.

THE NEW ZEALAND JOURNAL OF AGRICULTURE.

VOL. 44.

(JANUARY-JUNE, 1932.)

Published by direction of
The Hon. C. E. MACMILLAN, Minister of Agriculture.

Editor: R. H. Hooper.

WELLINGTON.

BY AUTHORITY: W. A. G. SKINNER, GOVERNMENT PRINTER.

1932.

THE NEW ZEALAND

JOURNAL OF AGRICULTURE.

VOLUME 44.

(January–June, 1932.)

INDEX.

A.

Abnormal cheese flavours due to weeds in pasture, 276.
Adamson, N. J.—Occurrence of sunscald on apples in Hawke's Bay, 133.
Agricultural clubs, boys' and girls', in 1930–31 season, 209.
Answers to inquiries, 78, 155, 232, 304, 365, 433.
Apiaries Act and its provisions: Control of disease in bees, 409.
Apiary, the (monthly notes), 68, 142, 225, 297, 358, 422.
Apparatus, a simple, for weighing sheep or lambs, 214.
Apple-trees, devitalized, treatment of, 343.
Apple-trees, biennial bearing in, 38.
Apricot-tree, shy bearing, 155.
Area of grassland top-dressed, season 1930–31, 154.
Arsenic pentoxide spraying for control of hard-fern, 186.
Artichoke tops for ensilage, 155.
Aston, B. C.—
"Bush sickness" and "dopiness": Some comparisons, 107.
Iron licks for bush sickness, 171.
Control of bush sickness in sheep: The Atiamuri experiment with iron licks, 367.
Aston, B. C., and Lyons, J.—
Pellet and lick feeding of stock, 260.
Stock licks and their composition, 305.
Atiamuri experiment with iron licks, 367.

B.

Bees, control of disease in, 409.
Bell, J. E.—Manuring of early potatoes: Experiments at Pukekohe in 1931, 400.
Benzol test, fleece sampling for, 194.
Biennial bearing in apple-trees, 38.
Blindness in sheep, treatment for, 232.
Blow-fly traps for the farm, 78.
Bone products and organic nitrogenous manures, 111.
Boys' and girls' agricultural clubs: Record of activities in 1930–31 season, 209.
Brien, R. M.—Host range of sclerotinia sclerotiorium in New Zealand, 127.
Brown, F. C.—Poultry-keeping, 66, 139, 223, 294, 356, 420.
Bruce, J. A.—Commercial fertilizers and their basis of sale, 111.
Bruce, J. A.—See Grimmett and Bruce.
"Bush sickness" and "dopiness": Some comparisons, 107.
Bush sickness, iron licks for, 171.
Bush sickness in sheep, control of, 367.
Butterfat production in New Zealand: Factors influencing unit-area production, with special reference to milk-test, 235.

C.

Cabbage butterfly, parasites for control of, 121.
Calf-feeding, use of meat-meal in, 233.
Camomile, stinking, in pasture, 366.

Carrying-capacities of paspalum and rye-grass, 304.
Census and Statistics Office—
Live-stock in New Zealand, 76.
Crop areas and yields, 77.
Area of grassland top-dressed, 1930–31, 154.
Cereals, delayed germination in, 129.
Certification of seed potatoes: Provisional certificates issued for season 1931–32, 428.
Certificate-of-record system in 1931 review of, 157.
Chamberlain, E. E.—Corticium disease of potatoes, 42, 122.
Check testing at dairy factories, 126.
Cheese, a starter producing bitterness in, 32.
Cheese flavours, abnormal, due to weeds in pasture, 276.
Chewings fescue, eradication of, 133.
Citrus culture (monthly notes), 65, 139, 223, 294, 355, 419.
Club-root, control of, 28.
Club-root, weed host plants of, in New Zealand, 273.
Commercial fertilizers and their basis of sale: IV. Bone products and organic nitrogenous manures, 111.
Compensation paid for stock and meat condemned, 153.
Competitions, farmers' field, 346.
Concentrates, feeding of, to dairy cows in early part of season, 433.
Connell, R. P.—
Some aspects of grass-farming advancement in New Zealand, 1.
The farm, 60, 134, 218, 289, 351, 414.
Farmers' field competitions, 346.
The Manawatu-West Coast dairy-farm competition, 1930–31, 389.
Control of bush sickness in sheep: The Atiamuri experiment with iron licks, 367.
Convolvulus in vinery, destroying, 233.
C.O.R. testing in 1931, 157.
Correction, 217.
Corticium disease of potatoes, 42, 122.
Control of club-root: Experiments with lime and fertilizers, 28.
Control of piripiri, 78.
Crop areas and yields, seasons 1930–31 and 1929–30, 77.
Cunningham, G. H.—Orchard sprays in New Zealand, 177, 263.
Cunningham, I. J.—Influence of dietary iron on hair and wool growth, 335.
Curd test, the New Zealand, 154.

D.

Dairies supplying milk for town consumption, 15.
Dairy cattle with foul-in-the-foot, 77.
Dairy Division.—Dairy factories in New Zealand, 1931–32, 413.
Dairy factories in New Zealand, 1931–32 413.
Dairy-farm competition, the Manawatu-West Coast, 389.
Davey, M.—Treatment of devitalized apple-trees, 343.
Delayed germination in cereals, 129.
Distemper and tapeworms in dogs, treatment for, 232.
Distribution of medullated fibre in New Zealand Romney fleeces: Fleece sampling for the benzol test, 194.
Dogs, treatment for tapeworms and distemper in, 232.
Dominion Meteorological Office.—Weather records, 74, 148, 230, 302, 362, 426.
"Dopiness" and "bush sickness": Some comparisons, 107.
Drench for internal parasites in sheep and lambs, 234.

E.

Earp, E. A.—
The apiary, 68, 142, 225, 297, 358, 422.
The Apiaries Act and its provisions: Control of disease in bees, 409.
Effects of the November frost in Otago orchards, 217.
Eggs, size of, important, 304.
Elimination of smut diseases from the malting-barley crops of Ellesmere district, 106.
Elphick, B. L.—
Distribution of medullated fibre in New Zealand Romney fleeces, 194.
Fleece-testing for medullated fibres: The grading of Romney fleeces, 320.
Ensilage, oats for, 413.
Estimated yields of wheat, oats, and barley, 156.

F.

Farm, the (monthly notes), 60, 134, 218, 289, 351, 414.
Farmers' field competitions: Taranaki, Wellington, and Hawke's Bay districts, season 1930–31, 346.
Fawcett, E. J.—Butterfat production in New Zealand, 235.
Feeding of concentrates to dairy cows in early part of season, 433.
Feeding of pigs in dairy districts, 24.
Fertilizer importations (quarterly), 156.
Fertilizers, commercial, and their basis of sale, 111.
Fertilizers, importation of, in 1931–32, 340.
Fescue, Chewings, eradication of, 133.

Fields Division—
Potato-manuring experiments in the South Island, 48.
Perennial rye-grass seed certification: List of growers, season 1931–32, 150.
Turnip-manuring experiments in the South Island, 201, 281.
Boys' and girls' agricultural clubs in 1930–31, 209.
Certification of seed potatoes: Provisional certificates issued for season 1931–32, 428.
Fleece-testing for medullated fibres: The grading of Romney fleeces, 320.
Foul-in-the-foot, dairy cattle with, 77.
Foy, N. R.—Delayed germination in cereals, 129.
Frost, effects of the November, in Otago orchards, 217.
Frost, E. T.—The tung-oil tree: Cultivation experience in North Auckland, 337.
Fruit-cases, standardization of, 412.
Fruit-trees, removal of, 365.

G.

Germinating capacity of perennial rye-grass seed: Notes on investigational work in progress, 316.
Gibbs, J. G.—
Control of club-root, 28.
Weed host plants of club-root in New Zealand, 273.
Gill, D. A.—Pulpy kidney disease of lambs, 270.
Grape-vines, importation of select, 59.
Grass-farming advancement in New Zealand, some aspects of, 1.
Grassing experiments on hill country in Whangamomona County, 79
Grassland, area of, top-dressed, 154.
Grazing of pigs, 301.
Grimmett, R. E. R., and Bruce, J. A.—Importation of fertilizers in 1931–32, 340.

H.

Hair and wool growth, influence of dietary iron on, 335.
Hamilton, R. G. I.—Biennial bearing in apple-trees, 38.
Hard-fern control by spraying with arsenic pentoxide: Experimental work at Whangamomona, 186.
Hill country grassing experiments in Whangamomona County, 79.
Horticulture (monthly notes), 70, 143, 226, 299, 359, 423.
Horticulture Division—
Packing passion-fruit for market, 41.
Standardization of fruit-cases, 412.
Host range of Sclerotinia sclerotiorum in New Zealand, 127.
Hudson, A. W., and Woodcock, J. W.—
Potato-manuring experiments in the South Island, 48.
Turnip-manuring experiments in the South Island, 201, 281.
Hyde, E. O.—Germinating capacity of perennial rye-grass, 316.
Hyde, W. C.—Horticulture, 70, 143, 226, 299, 359, 423.
Hygrometer, use of, in curing tobacco-leaf, 130.

I.

Importation of fertilizers in 1931–32, 340.
Importation of select grape-vines, 59.
Influence of dietary iron on hair and wool growth, 335.
Inspection of milking-machines, 58.
Inventions of agricultural interest, 47, 234, 366.
Iron, dietary, influence of, on hair and wool growth, 335.
Iron licks for bush sickness: Further experience with sheep and cattle, 171.
Iron licks, the Atiamuri experiment with, 367.

L.

Lambs fattened on linseed, 252.
Lambs, fattening, on rape, 63.
Lambs, pulpy kidney disease of, 270.
Levy, E. Bruce.—
Grassing experiments on hill country in Whangamomona County, 79.
New Zealand pasture seeds: What the Dominion has to offer, 253, 309, 379.
Levy, E. Bruce, and Madden, E. A.—
Hard-fern control by spraying with arsenic pentoxide, 186.
Licensed meat-export works in New Zealand, season 1931–32, 73.
Lick-box for stock, an effective, 288.
Lick and pellet feeding of stock, 260.
Licks, stock, and their composition, 305.
Lime for poultry and cattle, 366.
Lime-sulphur sprays, 263.
Linseed, lambs fattened on, 252.
Live Stock Division: Licensed meat-export works in New Zealand, season 1931–32, 73
Live-stock in New Zealand, 1931, 76.
Lowe, C.—Use of the hygrometer in curing tobacco-leaf, 130.
Lucerne hay, prize, 425.
Lyons, J.—See Aston and Lyons.

M.

Macrocarpa-trees, killing, with poison, 434.
Madden, E. A.—See Levy and Madden

Malting-barley crops, elimination of smut diseases from, in Ellesmere County, 106.
Manawatu-West Coast dairy-farm competition: Results for initial year 1930–31 reviewed, 389.
Manuring of early potatoes: Experiments at Pukekohe in 1931, 400.
Manuring for potato crop, 365.
Marshall, D.—Feeding of pigs in dairy districts, 24.
McIlwaine, J. E.—Fattening lambs on rape, 63.
McIndoe, G. H.—Effects of the November frost in Otago orchards, 217.
Meat-export works, licensed, in New Zealand, season 1931–32, 73.
Meat-meal, use of, in calf-feeding, 233.
Medullated fibre, distribution of, in New Zealand Romney fleeces, 194.
Medullated fibres, fleece-testing for, 320.
Milk for town consumption, dairies supplying, 15.
Milk-grading and the "New Zealand curd test," 154.
Milking-machines, inspection of, 58.
Milk-test as a factor influencing unit-area production of butterfat, 235.
Mineral requirements of pigs, 434.
Moir, G. M.—The late Stenhouse Williams: An appreciation, 364.

N.

Neill, J. C.—Elimination of smut diseases from the malting-barley crops of Ellesmere County, 106.
Nettles, stinging, destroying with sodium chlorate spray, 434.
"New Zealand curd test," the, and milk-grading, 154.
New Zealand pasture seeds: What the Dominion has to offer, 253, 309, 379.
Nitrogenous manures, organic, 111.
Noxious weeds order, 303.
"Nutrition Abstracts and Reviews," 193.

O.

Oats for ensilage, 413.
Occurrence of sun-scald on apples in Hawke's Bay, 133.
Oils, winter, summer application of, in orchard practice, 170.
Orange-tree killed by milk, 149.
Orchard cultivation, 388.
Orchard sprays in New Zealand, 177, 263.
Orchard, the (monthly notes), 64, 137, 222, 292, 354, 418.
Otago pasture top-dressing trials, 325.
Overrun in buttermaking, the, 93.

P.

Packing passion-fruit for market, 41.
Paspalum and rye-grass, carrying-capacities of, 304.
Paspalum grassland, conversion of, 176.
Parasites for control of cabbage butterfly, 121.
Passion-fruit, packing for market, 41.
Pasture mixture for hilly clay soil in Helensville district, 232.
Pasture seeds: What New Zealand has to offer, 253, 309, 379.
Pasture top-dressing trials in Otago: Summary of results for seasons 1927, 1928, and 1929, 325.
Paynter, L.—Citrus culture, 65, 139, 223, 294, 355, 419.
Pellet and lick feeding of stock, 260.
Pennyroyal affecting cheese flavour, 276.
Perennial rye-grass, germinating capacity of, 316.
Perennial rye-grass seed certification: List of growers, season 1931–32, 150.
Pigs, feeding of, in dairy districts, 24.
Pigs, grazing of, 301.
Pigs, mineral requirements of, 434.
Pigs, mortality among, after castration, 155.
Pigs with lumps and swellings, 304.
Pink-rot of wool, 35.
Piripiri, control of, 78.
Potatoes, corticium disease of, 42, 122.
Potatoes, early, experiments in manuring of, 400.
Potatoes, feeding sheep on, 362.
Potato-manuring experiments in the South Island, 1925–26 to 1930–31, 48.
Potatoes, seed, certification of, 1931–32, 428.
Poultry-keeping (monthly notes), 66, 139, 223, 294, 356, 420.
Present-day knowledge of yolk in wool, 16.
Prize lucerne hay, 425.
Pulpy kidney disease of lambs: Notes on investigational work in 1931 season, 270.

R.

Rabbit poisoning, price of strychnine for, 364.
Rape, fattening lambs on, 63.
Red-mite, summer control of, in orchards, 208.
Reviews: "Wool quality," 146.
Riddet, W., and others.—A starter producing bitterness in cheese, 32.
Riddet, W., and Valentine, G. M.—Abnormal cheese flavours due to weeds in pasture, 276.
Rimu poles for telegraph and power lines, 105.
Romney fleeces, distribution of medullated fibre in, 194.

Romney fleeces, testing of, for medullated fibres, 320.
Rye-grass, perennial, germinating capacity of, 316.
Rye-grass seed, perennial, certification: List of growers, season 1931–32, 150.
Rye-grass seed, testing of, 272.
Rye-grass seed, ultra-violet light tests on samples of, 350.

S.

Sclerotinia sclerotiorum, host range of, in New Zealand, 127.
Seasonal notes, 60, 134, 218, 289, 351, 414.
Seed potatoes, certification of, 428.
Seeds, New Zealand pasture, 253, 309, 379.
Sheep and lambs, drench for internal parasites in, 234.
Sheep, blindness in, 232.
Sheep, control of bush sickness in, 367.
Sheep, feeding, on potatoes, 362.
Sheep or lambs, a simple apparatus for weighing, 214.
Sheep wintered on oat silage, 345.
Sidey, D. J.—A simple apparatus for weighing sheep or lambs, 214.
Silage, feeding to breeding-ewes, 365.
Silage losses, 92.
Silage, oat, sheep wintered on, 345.
Silage, weight of, at varying depths in pit, 308.
Simple apparatus for weighing sheep or lambs, 214.
Singleton, W. M.—
The "New Zealand curd test" and milk-grading, 154.
Testing of purebred dairy cows: Review of the New Zealand certificate-of-record system in 1931, 157.
Small Farm Plan, some dairying potentialities of the, 406.
Smith, J. M.—Weight of silage at varying depths in pit, 308.
Smut diseases, elimination of, from malting-barley crops of Ellesmere district, 106.
Sodium chlorate, control of wing thistle by, 363.
Sodium chlorate spray, destroying stinging nettles with, 434.
Some aspects of grass-farming advancement in New Zealand, 1.
Some dairying potentialities of the Small Farm Plan, 406.
Sprays, orchard, in New Zealand, 177, 263.
Standardization of fruit-cases, 412.
Starter producing bitterness in cheese, a, 32.
Stenhouse Williams, the late: An appreciation, 364.
Stinging nettles, destroying, with sodium chlorate spray, 434.
Stinking camomile in pasture, 366.
Stock and meat condemned, compensation paid for, 153.
Stock licks and their composition: Some recent developments, 305.
Strychnine, price of, for rabbit poisoning, 364.
Stock, pellet and lick feeding of, 260.
Sulphur sprays, 177.
Summer application of winter oils in orchard practice, 170.
Summer control of red-mite in orchards, 208.
Sun-scald on apples, occurrence of, in Hawke's Bay, 133.
Sutton, W. G.—Present-day knowledge of yolk in wool, 16.

T.

Tapeworms and distemper in dogs, treatment for, 232.
Tennent, R. B.—Pasture top-dressing trials in Otago, seasons 1927, 1928, and 1929, 325.
Testing, check, at dairy factories, 126.
Testing of purebred dairy cows: Review of the New Zealand certificate-of-record system in 1931, 157.
Tobacco-leaf, use of hygrometer in curing, 130.
Top-dressed area of grassland, season 1931–32, 154.
Top-dressing trials in Otago, 325.
Treatment of devitalized apple-trees, 343.
Tung-oil tree, the: Cultivation experience in North Auckland, 337.
Turnip-manuring experiments in the South Island: Summary of results for seven seasons, 1924–25 to 1930–31, 201, 281.
Twin-cress affecting cheese flavour, 276.

U.

Ultra-violet light tests on samples of rye-grass seed, 350.
Use of the hygrometer in curing tobacco-leaf, 130.

V.

Vaginitis in cows, 434.
Valentine, G. M.—The overrun in butter-making, 93.
Valentine, G. M.—See Riddet and others.
Valentine, G. M.—See Riddet and Valentine.

W.

Waters, R.—Pink-rot of wool, 35.
Weather records (monthly), 74, 148, 230, 302, 362, 426.
Weed host plants of club-root in New Zealand, 273.
Weeds in pasture causing abnormal cheese flavours, 276.
Weight of silage at varying depths in pit, 308.
Whangamomona County, grassing experiments on hill country in, 79.
Wheat, oats, and barley, estimated yields of, 156.
Whitehead, H. R.—See Riddet and others.
Williams, W. R. L.—The orchard, 64, 137, 222, 354, 418.
Williams, Stenhouse, the late, 364.
Willows, killing, with poison, 234.
Wing thistle, control of, by sodium chlorate, 363.
Woodcock, J. W.—See Hudson and Woodcock.
Woodfin, J. C.—Importation of select grape-vines, 59.
Wool fleeces, Romney, distribution of medullated fibre in, 194.
Wool, pink-rot of, 35.
"Wool Quality" (review), 146.
Wool, yolk in, 16.

Y.

Yolk in wool, present-day knowledge of, 16.